

## Gonadotropiini stimuleerimise testi tekst (LH-RH TEST)

Infoleht annab ülevaate LH-RH testi tegemisest.

LH-RH stimuleerib suguhormoonide tootmist. LH-RH test aitab selgitada, kas lapsel on alanud puberteet.

### **Enne testi tegemist:**

- söö ja joo
- ei ole tarvilik teha erilisi ettevalmistusi

### **Testi ajal:**

- pole lubatud süüa
- lama rahulikult

### **Pärast testi:**

- eemaldab õde kanüüli ja võite minna koju

### **Kuidas testi tehakse**

Patsiendile paigaldatakse veenikanüül. Selle kaudu manustatakse ravim ja võetakse analüüsid. Verd võetakse vastavalt arsti korraldusele 2–4 korda pärast ravimi manustamist.

Testi kestvus on 2 tundi.

### **Testi mõju patsiendile:**

Protseduur on pisut ebamugav ning võib kanüüli paigaldamisel kergelt valu põhjustada. Kõrvaltoimeid testi tegemisel esineb väga harva. Patsiendil võib esineda iiveldust ja peapööritust.

Testi tulemused edastab teile raviarst.

### **Kasutatud kirjandus**

1. LH response to GnRH blood test. <https://www.nlm.nih.gov/medlineplus/ency/article/003709.htm> (03.12.2015).
2. Luteinizing Hormone Releasing Hormone (LHRH) test for children. [https://www.kch.nhs.uk/Doc/pl%20-%20711.1%20-%20luteinizing%20hormone%20releasing%20hormone%20\(lhrh\)%20test%20for%20children.pdf](https://www.kch.nhs.uk/Doc/pl%20-%20711.1%20-%20luteinizing%20hormone%20releasing%20hormone%20(lhrh)%20test%20for%20children.pdf) (03.12.2015)
3. Ranke, M. B. Diagnostics of Endocrine Function in Children and Adolescents. Germany. University Children`s Hospital. 2003:362-363.

